RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	/0/565 230
Source:	1FnD
Date Processed by STIC:	11/28/06
	

ENTERED

CRF Errors Edited by the STIC Systems Branch

Serial l	Number: 10/565,230	CRF Edit Date: 11/28/0 Edited by: 1/28/0
	Realigned nucleic acid/amino acid numbers/text text "wrapped" to the next line	in cases where the sequence
	Corrected the SEQ ID NO. Sequence numbers e	dited were:
	Inserted or corrected a nucleic number at the en NO's edited:	d of a nucleic line. SEQ ID
_	Deleted: invalid beginning/end-of-file text;	page numbers
	Inserted mandatory headings/numeric identifier	s, specifically:
	Moved responses to same line as heading/numer	ic identifier, specifically:
<u>J</u>	Other:	evé identifiera

Revised 09/09/2003



IFWO

RAW SEQUENCE LISTING DATE: 11/28/2006
PATENT APPLICATION: US/10/565,230 TIME: 17:11:37

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\11282006\J565230.raw

```
3 <110> APPLICANT: TRANSGENE SA
            ERBS, Philippe
     6 <120> TITLE OF INVENTION: Polypeptide having an improved Cytosine deaminase
             activity .
     9 <130> FILE REFERENCE: D21447
C--> 11 <140> CURRENT APPLICATION NUMBER: US/10/565,230
C--> 11 <141> CURRENT FILING DATE: 2006-01-20
    11 <150> PRIOR APPLICATION NUMBER: PCT/IB2004/002505
    12 <151> PRIOR FILING DATE: 2004-06-29
    14 <150> PRIOR APPLICATION NUMBER: US 60/508 274
    15 <151> PRIOR FILING DATE: 2003-10-06
    17 <150> PRIOR APPLICATION NUMBER: EP 03/360 087
    18 <151> PRIOR FILING DATE: 2003-07-21
    20 <160> NUMBER OF SEQ ID NOS: 2
    22 <170> SOFTWARE: PatentIn Ver. 2.1
    24 <210> SEO ID NO: 1
    25 <211> LENGTH: 373
    26 <212> TYPE: PRT
    27 <213> ORGANISM: Artificial Sequence
     29 <220> FEATURE:
    30 <223> OTHER INFORMATION: Description of Artificial Sequence : Fusion
             protein having a CDase activity
     33 <300> PUBLICATION INFORMATION:
    35 <400> SEQUENCE: 1
     36 Met Val Thr Gly Gly Met Ala Ser Lys Trp Asp Gln Lys Gly Met Asp
     37 1
                          5
                                             10
     39 Ile Ala Tyr Glu Glu Ala Ala Leu Gly Tyr Lys Glu Gly Gly Val Pro
                                         25
     42 Ile Gly Gly Cys Leu Ile Asn Asn Lys Asp Gly Ser Val Leu Gly Arg
     45 Gly His Asn Met Arg Phe Gln Lys Gly Ser Ala Thr Leu His Gly Glu
                                 55
     48 Ile Ser Thr Leu Glu Asn Cys Gly Arg Leu Glu Gly Lys Val Tyr Lys
                             70
     51 Asp Thr Thr Leu Tyr Thr Thr Leu Ser Pro Cys Asp Met Cys Thr Gly
                         85
                                             90
     54 Ala Ile Ile Met Tyr Gly Ile Pro Arg Cys Val Val Gly Glu Asn Val
                    100
                                        .105
     57 Asn Phe Lys Ser Lys Gly Glu Lys Tyr Leu Gln Thr Arg Gly His Glu
                                    120
     58
                115
     60 Val Val Val Asp Asp Glu Arg Cys Lys Lys Ile Met Lys Gln Phe
                                135
     63 Ile Asp Glu Arg Pro Gln Asp Trp Phe Glu Asp Ile Gly Glu Ala Ser
```

RAW SEQUENCE LISTING DATE: 11/28/2006 PATENT APPLICATION: US/10/565,230 TIME: 17:11:37

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\11282006\J565230.raw

64 145			150					155				_	160
66 Glu Pro	Phe Lys		/al '	Tyr	Leu	Leu		Gln	Thr	Asn	Gln		Leu
67	_	165	_	_		_	170				_	175	_,
69 Gly Leu	-	Ile I	lle s	Ser	Asn		Asn	Thr	Thr	Arg		Asp	Phe
70	180					185			_	_	190		_
72 Ile Phe	-	Asp A	۱rg :	Ile		Arg	Leu	Leu	Val		Glu	Gly	Leu
73	195				200		_	_	_	205			
75 Asn His	Leu Pro	Val (_	Gln	Ile	Val	Glu		Asp	Thr	Asn	Glu
76 210				215					220		_		_
78 Asn Phe	Glu Gly	Val S	Ser :	Phe	Met	Gly	Lys		Cys	Gly	Val	Ser	
79 225			230					235	_	_	_	_	240
81 Val Arg	Ala Gly		Ser 1	Met	Glu	Gln	_	Leu	Arg	Asp	Cys		Arg
82		245					250		_			255	
84 Ser Val	-	_	ys :	Ile	Leu		Gln	Arg	Asp	GIu		Thr	Ala
85	260					265	_ '				270		_
87 Leu Pro		Phe T	Tyr (Glu		Leu	Pro	Glu	Asp		Ser	GIu	Arg
88	275			_	280	_				285	_		
90 Tyr Val	Phe Leu	Leu A	_		Met	Leu	Ala	Thr		Gly	Ser	Ala	Ile
91 290				295					300	_			~ 7
93 Met Ala	Thr Glu			Ile	Lys	Arg	Gly		Lys	Pro	GIu	Arg	
94 305			310	_	_		~3	315	~7.	~1	-		320
96 Tyr Phe	Leu Asn		ile (Cys	ser	ьуs		GIY	ше	GIU	гуѕ		HIS
97	5 1 5	325			- 1 -	7	330	~ 1	77 -	T	7	335	G1
99 Ala Ala			vaı .	arg	ше			GIY	Ala	Leu	350		GIÀ
1 ()()	34	()											
100			TT- ***	T 011		345		. To:		. 70			t 7/05
102 Leu Asp	Glu As		Tyr	Leu		Pro		Let	ı Gly		Phe		y Asp
102 Leu Asp 103	Glu As 355	n Lys	Tyr	Leu	Val 360	Pro		/ Let	ı Gly	7 Asp 365	Phe		y Asp
102 Leu Asp 103 105 Arg Tyr	Glu As 355 Tyr Cy	n Lys	Tyr	Leu		Pro		, Lei	ı Gly		Phe		y Asp
102 Leu Asr 103 105 Arg Tyr 106 370	Glu As 355 Tyr Cy	n Lys s Val	Tyr	Leu		Pro		/ Lei	ı Gly		Phe		y Asp
102 Leu Asr 103 105 Arg Tyr 106 370 109 <210> S	Glu As 355 Tyr Cy EEQ ID N	n Lys s Val O: 2	Tyr	Leu		Pro		/ Let	ı Gly		Phe		y Asp
102 Leu Asr 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I	Glu As 355 Tyr Cy EQ ID N ENGTH:	n Lys s Val O: 2 216	Tyr	Leu		Pro		/ Let	ı Glş		Phe		y Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T	Glu As 355 Tyr Cy GEQ ID N BENGTH:	n Lys s Val O: 2 216 T			360	Pro	Gl _y		ı Gly		Phe		y Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> O	Glu As 355 Tyr Cy SEQ ID N SENGTH: TYPE: PR	n Lys s Val O: 2 216 T : Saco			360	Pro	Gl _y		ı Gly		Phe		y Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> C 114 <400> S	Glu As 355 Tyr Cy EQ ID N ENGTH: TYPE: PR ORGANISM EQUENCE	n Lys s Val O: 2 216 T : Saco	char	omyc	360 es c	Pro	o Gly	ıe.		365	Phe Phe	e Gly	
102 Leu Asr 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> O 114 <400> S 115 Met Ser	Glu As 355 Tyr Cy EQ ID N ENGTH: TYPE: PR ORGANISM EQUENCE	n Lys s Val O: 2 216 T : Saco : 2 u Pro	char	omyc	360 es c	Pro	visia Tyr	ie : Lei		365	Phe Phe	e Gly	r Asn
102 Leu Asr 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> O 114 <400> S 115 Met Ser 116 1	Glu As 355 Tyr Cy EQ ID N ENGTH: TYPE: PR ORGANISM EQUENCE Ser Gl	n Lys s Val O: 2 216 T : Sacc : 2 u Pro	char Phe	omyc Lys	360 ces c	Pro	visia Tyr	ae : Lei	ı Lei	365	Pho Pho	e Gly n Thr 1!	r Asn
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> C 114 <400> S 115 Met Ser 116 1 118 Gln Leu	Glu As 355 Tyr Cy EQ ID N ENGTH: PYPE: PR RGANISM EQUENCE Sec Gl	n Lys s Val O: 2 216 T : Saco : 2 u Pro 5 y Leu	char Phe	omyc Lys	360 ces c	Pro	visia Tyr 10	ae : Lei	ı Lei	365	o Pho 5	n Thi 1! r Thi	r Asn
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> O 114 <400> S 115 Met Ser 116 1 118 Gln Leu	Glu As 355 Tyr Cy EQ ID N ENGTH: YPE: PR EQUENCE SEQUENCE Ser Gl	n Lys s Val O: 2 216 T : Saco : 2 u Pro 5 y Leu 0	char Phe Tyr	omyc Lys Thr	360 ces c s Asr	erev	visia Tyr 10 e Ser	e Leu) Asr	ı Let	365 1 Pro	o Pho 5 .	n Thi 1! r Thi	r Asn 5 r Arg
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> O 114 <400> S 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp	Glu As 355 Tyr Cy GEQ ID N GENGTH: TYPE: PR ORGANISM GEQUENCE Ser Gl Leu Gl 20 Phe Il	n Lys s Val O: 2 216 T : Saco : 2 u Pro 5 y Leu 0	char Phe Tyr	omyc Lys Thr	360 ces c s Asr Tle	erev	visia Tyr 10 e Ser	e Leu) Asr	ı Let	365 Pro Asi Lev	o Glin Thi	n Thi 1! r Thi	r Asn 5 r Arg
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> C 114 <400> S 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122	Glu As 355 Tyr Cy GEQ ID N GENGTH: TYPE: PR GRANISM GEQUENCE Ser Gl Leu Gl 2 Phe Il 35	n Lys s Val O: 2 216 T : Sacc : 2 u Pro 5 y Leu 0 e Phe	char Phe Tyr Tyr	omyc Lys Thr Ser	360 ces o s Asr Tle	erev	visia Tyr 10 Ser 3 Ile	e Leu) Asr	ı Let ı Lys	365 1 Pro 3 Asi 4 Let 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	o Gli n Th: 30	n Thi 1! r Thi 0 u Val	r Asn 5 r Arg l Glu
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> O 114 <400> S 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly	Glu As 355 Tyr Cy EQ ID N EENGTH: PRESERVENCE SEQUENCE SEQUENCE Ser Gl Leu Gl 2 Phe Il 35 Leu As	n Lys s Val O: 2 216 T : Sacc : 2 u Pro 5 y Leu 0 e Phe	char Phe Tyr Tyr	omyc Lys Thr Ser Pro	360 ces of Asr The Asr 40 Val	erev	visia Tyr 10 Ser 3 Ile	e Leu) Asr	ı Lev ı Lys e Arç	365 Pro S Asi Leu 45 Val	o Gli n Th: 30	n Thi 1! r Thi 0 u Val	r Asn 5 r Arg l Glu
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> C 114 <400> S 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50	Glu As 355 Tyr Cy GEQ ID N GENGTH: TYPE: PR GRANISM GEQUENCE Ser Gl Leu Gl 2 Phe Il 35 Leu As	n Lys s Val O: 2 216 T : Sacc : 2 u Pro 5 y Leu 0 e Phe n His	char Phe Tyr Tyr Leu	Omyc Lys Thr Ser Pro	360 ces of Asr Ile Asr 40 Val	erev	visia Tyr 10 Ser 3 Ile	e Leu) : Asr e Ile	ı Lev ı Lys e Arç ı Ile 60	365 365 Asi 45 45 Val	o Gli n Th: 31 Let	n Thi 1! r Thi 0 u Val	r Asn 5 r Arg l Glu r Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> C 114 <400> S 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50 127 Thr Asp	Glu As 355 Tyr Cy GEQ ID N GENGTH: TYPE: PR GRANISM GEQUENCE Ser Gl Leu Gl 2 Phe Il 35 Leu As	n Lys s Val O: 2 216 T : Sacc : 2 u Pro 5 y Leu 0 e Phe n His	Phe Tyr Tyr Leu Glu	Omyc Lys Thr Ser Pro 55 Gly	360 ces of Asr Ile Asr 40 Val	erev	visia Tyr 10 Ser 3 Ile	e Lei) Asr e Ile s Glr	ı Let Lys R Arg 116 60 5 Gl	365 365 Asi 45 45 Val	o Gli n Th: 31 Let	n Thi 1! r Thi 0 u Val	r Asn 5 r Arg l Glu r Asp s Gly
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> C 114 <400> S 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50 127 Thr Asp 128 65	Glu As 355 Tyr Cy EQ ID N ENGTH: PRESEQUENCE SEQUENCE Ser Gl Leu Gl 2 Phe Il 35 Leu As Glu As	n Lys s Val O: 2 216 T : Sacc : 2 u Pro y Leu 0 e Phe n His	Phe Tyr Tyr Leu Glu 70	Omyc Lys Thr Ser Pro 55 Gly	360 ces of Asr Asr 40 Val	erev Val e Ile 25 Arc	visia Tyr 10 Ser 3 Ile	te Let) Asr e Ile Glr Met	Let Lyse Arc 116 60 5 Gly	365 1 Pro 2 Asi 45 45 V Lys	o Gli i Th: i Lei i Gli i Ile	n Thi 1! r Thi 0 u Val u Thi	r Asn 5 r Arg l Glu r Asp s Gly 80
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> C 114 <400> S 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50 127 Thr Asp 128 65 130 Val Ser	Glu As 355 Tyr Cy EQ ID N ENGTH: PRESEQUENCE SEQUENCE Ser Gl Leu Gl 2 Phe Il 35 Leu As Glu As	n Lys s Val O: 2 216 T: Sacc : 2 u Pro 5 y Leu 0 e Phe n His n Phe	Phe Tyr Tyr Leu Glu 70	Omyc Lys Thr Ser Pro 55 Gly	360 ces of Asr Asr 40 Val	erev Val e Ile 25 Arc	visia Tyr 10 Ser 11 Tyr 10 Phe	te Let O Asr e Ile S Glr Met 75	Let Lyse Arc 116 60 5 Gly	365 1 Pro 2 Asi 45 45 V Lys	o Gli i Th: i Lei i Gli i Ile	n Thi 1! r Thi 0 u Val u Thi e Cys	r Asn r Arg l Glu r Asp s Gly 80 g Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> C 114 <400> S 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50 127 Thr Asr 128 65 130 Val Ser 131	Glu As 355 Tyr Cy GEQ ID N GENGTH: TYPE: PR ORGANISM GEQUENCE G Ser Gl Leu Gl 20 Phe Il 35 Leu As Of Glu As Of Glu As	n Lys s Val O: 2 216 T: Sacc : 2 u Pro 5 y Leu 0 e Phe n His n Phe 1 Arg	Phe Tyr Tyr Leu Glu 70 Ala	Omyc Lys Thr Ser Pro 55 Gly Gly	360 ces of Asr. Asr. 40 Val.	erev Val Ele 25 Arg	visia Tyr 10 Ser 11 Tyr 10 Phe The	Let Asr e Ile Glr GR	Let Lys Arg 116 60 Gly	365 a Pro Ass Ass 45 45 C Val C Lys	o Gli i Thi i Lei i Gli i Gli i Lei	n Thi 1! r Thi 0 u Val u Thi e Cys	r Asn r Arg l Glu r Asp s Gly 80 g Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> C 114 <400> S 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50 127 Thr Asr 128 65 130 Val Ser 131 133 Cys Cys	Glu As 355 Tyr Cy GEQ ID N GENGTH: TYPE: PR ORGANISM GEQUENCE Ser Gl Leu Gl 20 Phe Il 35 Leu As 11 Glu As 11 Glu As 11 Glu As 11 Glu As	n Lys s Val O: 2 216 T: Sacc : 2 u Pro 5 y Leu 0 e Phe n His n Phe 1 Arg r Val	Phe Tyr Tyr Leu Glu 70 Ala	Omyc Lys Thr Ser Pro 55 Gly Gly	360 ces of Asr. Asr. 40 Val.	erev Val Ele Ser Glr Ser	risia Tyr 10 Ser I Lys Phe Met 90	Let Asr e Ile Glr GR	Let Lys Arg 116 60 Gly	365 a Pro Ass Ass 45 45 C Val C Lys	o Gli i Thi i Lei i Gli i Lei i Arg	n Thi 1! r Thi 0 u Val u Thi e Cys u Arg	r Asn r Arg l Glu r Asp s Gly 80 g Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> S 110 <211> I 111 <212> T 112 <213> C 114 <400> S 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50 127 Thr Asr 128 65 130 Val Ser 131	Glu As 355 Tyr Cy GEQ ID N GENGTH: CYPE: PR ORGANISM GEQUENCE Ser Gl Leu Gl 20 Phe Il 35 Leu As 11 Glu As 11 Glu As 11 Glu As 11 Glu As	n Lys s Val O: 2 216 T: Sacc : 2 u Pro 5 y Leu 0 e Phe n His n Phe 1 Arg r Val 0	Phe Tyr Tyr Leu Glu 70 Ala	Omyc Lys Thr Ser Pro 55 Gly Gly Ile	360 ces of Asr. Asr. 40 o Val. Val. Glues Gly	erev Val E Ile 25 Arg	risia Tyr 10 Ser I Lys Phe Met 90	te Let Asr E Ile Glr Glr Glr Glr Glr	Let Lys Arc 6(Gly 61 Glr	365 1 Pro 2 Asi 45 49 49 49 49 49 49 49 49 49 49 49 49 49	o Gli i Thi i Lei i Lei i Li i Li i Li i Li i Li i	n Thi 1! r Thi 0 u Val u Thi e Cys u Arg g Asp	r Asn or Arg l Glu r Asp s Gly 80 g Asp o Glu

RAW SEQUENCE LISTING DATE: 11/28/2006
PATENT APPLICATION: US/10/565,230 TIME: 17:11:37

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\11282006\J565230.raw

137			115					120					125			
139	Ser	Glu	Arg	Tyr	Val	Phe	Leu	Leu	Asp	Pro	Met	Leu	Ala	Thr	Gly	Gly
140		130					135					140				
142	Ser	Ala	Ile	Met	Ala	Thr	Glu	Val	Leu	Ile	Lys	Arg	Gly	Val	Lys	Pro
143	145					150					155					160
145	Glu	Arg	Ile	Tyr	Phe	Leu	Asn	Leu	Ile	Cys	Ser	Lys	Glu	Gly	Ile	Glu
146					165					170					175	
148	Lys	Tyr	His	Ala	Ala	Phe	Pro	Glu	Val	Arg	Ile	Val	Thr	Gly	Ala	Leu
149				180					185					190		
151	Asp	Arg	Gly	Leu	Asp	Glu	Asn	Lys	Tyr	Leu	Val	Pro	Gly	Leu	Gly	Asp
152			195					200					205			
154	Phe	Gly	Asp	Arg	Tyr	Tyr	Cys	Val							•	
155		210					215									

VERIFICATION SUMMARY

DATE: 11/28/2006 TIME: 17:11:38

PATENT APPLICATION: US/10/565,230

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\11282006\J565230.raw

L:11 M:270 C: Current Application Number differs, Replaced Current Application No

L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date

Raw Sequence Listing before editing (for reference only)



IFWO

RAW SEQUENCE LISTING DATE: 11/24/2006 PATENT APPLICATION: US/10/565,230 TIME: 13:35:37

Input Set : A:\PTO.DA.txt -

Output Set: N:\CRF4\11242006\J565230.raw

3 <110> APPLICANT: TRANSGENE SA 4 ERBS, Philippe 6 <120> TITLE OF INVENTION: Polypeptide having an improved Cytosine deaminase activity 9 <130> FILE REFERENCE: D21447 C--> 11 <140> CURRENT APPLICATION NUMBER: US/10/565,230 C--> 12 <141> CURRENT FILING DATE: 2006-01-20 14 <150> PRIOR APPLICATION NUMBER: US 60/508 274 15 <151> PRIOR FILING DATE: 2003-10-06 17 <150> PRIOR APPLICATION NUMBER: EP 03/360 087 Does Not Comply Corrected Diskette Needed 18 <151> PRIOR FILING DATE: 2003-07-21 20 <160> NUMBER OF SEQ ID NOS: 2 22 <170> SOFTWARE: PatentIn Ver. 2.1

ERRORED SEQUENCES

109 <210> SEO ID NO: 2 110 <211> LENGTH: 216 111 <212> TYPE: PRT 112 <213> ORGANISM: Saccharomyces cerevisiae 114 <400> SEQUENCE: 2 115 Met Ser Ser Glu Pro Phe Lys Asn Val Tyr Leu Leu Pro Gln Thr Asn 118 Gln Leu Leu Gly Leu Tyr Thr Ile Ile Ser Asn Lys Asn Thr Thr Arg 2.0 25 121 Pro Asp Phe Ile Phe Tyr Ser Asp Arg Ile Ile Arg Leu Leu Val Glu 124 Glu Gly Leu Asn His Leu Pro Val Gln Lys Gln Ile Val Glu Thr Asp 55 127 Thr Asn Glu Asn Phe Glu Gly Val Ser Phe Met Gly Lys Ile Cys Gly 70 130 Val Ser Ile Val Arg Ala Gly Glu Ser Met Glu Gln Gly Leu Arg Asp 90 85 133 Cys Cys Arg Ser Val Arg Ile Gly Lys Ile Leu Ile Gln Arg Asp Glu 105 136 Glu Thr Ala Leu Pro Lys Leu Phe Tyr Glu Lys Leu Pro Glu Asp Ile 120 139 Ser Glu Arg Tyr Val Phe Leu Leu Asp Pro Met Leu Ala Thr Gly Gly 135 142 Ser Ala Ile Met Ala Thr Glu Val Leu Ile Lys Arg Gly Val Lys Pro 150 145 Glu Arg Ile Tyr Phe Leu Asn Leu Ile Cys Ser Lys Glu Gly Ile Glu RAW SEQUENCE LISTING DATE: 11/24/2006
PATENT APPLICATION: US/10/565,230 TIME: 13:35:37

and the second of the second o

Input Set : A:\PTO.DA.txt

Output Set: N:\CRF4\11242006\J565230.raw

Bridge Charles

VERIFICATION SUMMARY DATE: 11/24/2006
PATENT APPLICATION: US/10/565,230 TIME: 13:35:38

Input Set : A:\PTO.DA.txt

.

Output Set: N:\CRF4\11242006\J565230.raw

L:11 M:270 C: Current Application Number differs, Replaced Current Application Number

L:12 M:271 C: Current Filing Date differs, Replaced Current Filing Date

L:163 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:2

11/24/2006